

## NOTICE OF ADOPTION OF RESOLUTION

NOTICE IS HEREBY GIVEN that the Town Board of the Town of Babylon, County of Suffolk, State of New York, at a regular meeting thereof held on the 13th day of February, 2020 duly adopted a resolution, an abstract of which is as follows:

### RESOLUTION NO. 88 FEBRUARY 13, 2020

**GRANTING REZONING APPLICATION OF BUNT DEVELOPMENT CORP. FOR THE PREMISES IDENTIFIED BY SCTM#: 0100-169-01-030, 014, 013, 009, 010 & PART OF 061 LOCATED ON THE W/S/O ALBANY AVE., 170' N/O STEELE PL., N. AMITYVILLE**

WHEREAS, Bunt Development Corp., (the "Petitioner") has heretofore petitioned this Board for a change of zone of certain property which is located on the e/s/o Albany Avenue, 170' n/o Steele Place, North Amityville, New York, SCTM No. 0100-169-01-030, 014, 013, 009, 010 & part of 061, and further described on the annexed Schedule A, from B-Residence to MR-Multiple Residence; and

WHEREAS, a public hearing was held on said petition on the 15<sup>th</sup> day of January, 2020; and

WHEREAS, in accordance with Section 617.5(c)(9) State Environmental Quality Review (SEQR), this proposal involves the construction of 10 buildings for 80 one-bedroom condominium units and the Board has adopted a Negative Declaration and no further action is required pursuant to SEQR; and

WHEREAS, this proposed change of zone conforms to the Town of Babylon Comprehensive Plan,

NOW, THEREFORE, be it

RESOLVED, by the Town Board of the Town of Babylon that Job No. 19-19ABE of Bunt Development Corp., for a change of zone from B-Residence to MR-Multiple Residence for the premises described in the attached Schedule A, be and the same hereby is granted, and further that the Zone Map of the Town of Babylon be and the same hereby shall be amended to reflect the zone change subject to the following conditions:

1. Subject to final site plan approval from the Planning Board.
2. Subject to ZBA approval for any associated variances.
3. Subject to SCPC referral.
4. Subject to SWPPP approval.
5. Subject to SCDHS approval.
6. Owner/applicant shall comply with the Town of Babylon Stormwater Code (Chapter 189).
  - a. An Industrial Agreement must be signed.
  - b. Stormwater application fee must be submitted.
  - c. Contain all stormwater runoff on-site to Engineering requirements.
7. A rodent control plan will be implemented prior to construction in order to remove rodent populations from the site. Additionally, the adjacent landowners will be notified prior to the commencement of construction.
8. Fugitive dust generation shall be controlled by appropriate means such as watering.
9. Fire and smoke detection systems and carbon monoxide detectors should be installed in accordance with NFPA 72.
10. Address number, building number, or approved building identification to be placed in a position visible from the street.
11. As a minimum measure to reduce noise levels, applicant/owner to install sound insulation panels around all air-conditioning units, chillers, refrigeration units and sound insulation blankets around all air-handling units if required by the Town.

12. During construction, owner/applicant is responsible to sweep access streets and keep the roadways free of dirt and mud.
13. The location of new transformers and water service devices shall be approved by the Town of Babylon Planning Department prior to installation and shall not be located adjacent to any roadways.
14. Sewer district and water saving plumbing fixtures to be utilized.
15. All regulatory warning signs are to adhere to the Manual of Uniform Traffic Control Devices for Streets and Highways Specifications. All signs must also be fabricated using high-intensity retro reflective sheeting.
16. Owner to contribute to the fund for the installation and maintenance of emergency vehicle optical pre-emption equipment on traffic signals in the area. Estimated cost to be \$2,000.00.
17. Construction will be conducted between the hours of 7am and 8pm on weekdays and between the hours of 9am and 4pm on Saturdays. No exterior construction will be permitted on Sundays, only interior construction. Construction activities on site shall be in strict conformance with Chapter 156-9D of the Noise Code of the Town of Babylon.
18. Subject to the requirements of Highway, Engineering, and the Fire Marshall.
19. An automatic/manual fire detection/notification system shall be installed.
20. Audio/visual notifications for all alarms should be installed in all units.
21. Any site signage proposed must be located so as to not adversely impact site plan functionality and is subject to further review by the Town of Babylon Planning Department. Upon filing proposed sign package with sign inspector, applicant shall simultaneously submit a copy to the Planning Department for review of location and suitability of proposed signage. Should proposed signage conflict with approved site plan, the Commissioner of the Planning Department reserves the right to require the applicant to file for a site plan modification.
22. SCTM #'s 100-169-01-030, 100-169-01-014, 100-169-01-013, 100-169-01-009, 100-169-01-010 & a portion of 100-169-01-061 shall be merged.
23. The remaining portion of SCTM # 100-169-01-061, that is being subdivided out of this application, shall be merged with SCTM # 100-169-01-011.
24. The owner/applicant is responsible for the costs associated with relocation of stop sign and stop bar on Harrison Ave, at the northwest entrance to site.
25. Subject to any and all community benefits as may be agreed upon between the applicant and Town Board; and be it further

RESOLVED, that the aforementioned change of zone shall not be effective until there has been filed with the County Clerk of Suffolk County the following Covenants and Restrictions to run with the land, subject to the approval of the Town Attorney:

1. No exterior-mounted steel security gates or shutters permitted. Only interior-mounted mesh type security gates permitted.
2. All site lighting to be contained on site and must conform to dark-sky lighting regulations.
3. The owner/developer is responsible for maintaining all applicable site development improvements including, but not limited to, the following: fire and smoke detection system, automatic fire sprinkler system, building, drainage, curbs, sidewalks, fencing, asphalt, landscaping, etc.
4. Owner/applicant shall comply with all NYS regulations for handicapped accessibility including, but not limited to, handicapped ramps and handicapped parking spaces.
5. All noise generating equipment on-site including, but not limited to, heating ventilation and air conditioning (HVAC), chillers, refrigeration units, and compressors shall operate

in conformance with Chapter 156 Town of Babylon Noise Code. In the event that any such equipment exceeds Chapter 156 standards immediate steps shall be taken to mitigate those noise levels.

6. All buildings, structures, signs, fences, and landscaping shall be maintained in accordance with all applicable codes and ordinances of the Town of Babylon, and violations thereof may be prosecuted and enforced in the same manner as provided therein.
7. No further development of the site without Planning Board approval.
8. All refuse shall be contained within the perimeter and height of the refuse enclosure as approved by the site plan.
9. Maintenance access shall be in accordance with Section 189-9 of the Code of the Town of Babylon. The Town of Babylon shall be provided with access to the stormwater infrastructure at reasonable times for periodic inspection by the Town of Babylon and its officers to ensure that the infrastructure is maintained in proper working condition to meet design standards and any other provisions established by Chapter 189. This agreement shall be binding on all subsequent landowners.
10. Maintenance after construction shall be in accordance Section 189-9 of the Code of the Town of Babylon. Stormwater management practices installed in accordance with Chapter 189 shall be operated and maintained to ensure that the goals of Chapter 189 are fully achieved. Proper operation and maintenance includes, at minimum, the following:
  - a. A preventive/corrective maintenance program for all critical facilities and systems of treatment and control (or related appurtenances) which are installed or used by the owner or operator to achieve the goals of Chapter 189. A written record of stormwater management system maintenance activities shall be established and maintained on site and be available for review by the Town of Babylon upon request.
  - b. Written procedures for operation and maintenance and training new maintenance personnel shall be prepared and maintained on site and will be available for review by the Town of Babylon upon request.
  - c. Discharges from SMPs shall not exceed design criteria or contribute to water quality standard violations in accordance with §189-8B of the Code of the Town of Babylon.
11. Upon completion of construction, any stormwater control structures impacted during construction shall be cleaned by the owner or operator. Routine maintenance of stormwater infrastructure on the site will include the following:
  - a. Monitoring of drainage inlets (catch basins) will be completed routinely, particularly after larger storm events and must be kept free from obstruction by leaves, trash, and other debris.
  - b. Drainage grates must be kept free from obstruction by leaves, trash, and other debris.
  - c. Drainage structures shall be inspected annually to determine if sediment removal is necessary to ensure that the drainage structures are properly functioning and that they permit adequate conveyance throughout the system. If applicable, the manufacturer's specifications for maintenance procedures and frequency must be strictly followed.
  - d. The drainage structures must be routinely monitored for the removal of surface sediment and trash.
  - e. Street sweeping of the parking areas shall be conduct at least four times annually to remove sediment that may impact the drainage infrastructure and additionally, as necessary due to storm events.

- f. The grounds and parking area shall be inspected for litter monthly and any litter shall be removed as necessary.
12. The entire building is to have a fully automatic fire sprinkler system installed pursuant to NFPA 13 and Section 213-235 of the Town Zoning Code and as required by the Fire Marshal.
  13. The Town of Babylon is not responsible for any damage to the curbs or light poles on site in connection with solid waste pick up.
  14. All units to have central air conditioning or through the wall air-conditioning units, no window units to be permitted.
  15. The use of inorganic fertilizers, pesticides, and herbicides shall be minimized as standard operating procedure for the landscape maintenance of the site.
  16. Twenty percent of units (16) shall be designated as workforce/affordable housing. Units to be scattered equally throughout the site. Affordable/workforce units shall be targeted to qualified households making 80% or less than the Suffolk County HUD income limits, which are updated annually. A recognized affordable housing provider shall be engaged by the owner/applicant to oversee the affordable component. Proof of such engagement shall be provided to the Planning Department.
  17. Dens shall not have closets or doors. Openings to the room shall exceed 4' in width.
  18. By virtue of this site plan approval, SCTM #'s 100-169-01-030, 100-169-01-014, 100-169-01-013, 100-169-01-009, 100-169-01-010 & a portion of 100-169-01-061 are effectively merged. No parcel shall operate independent of the other parcels, since they only function conjointly as one contiguous site.
  19. All units are to be owner-occupied condominiums.

BE IT FURTHER RESOLVED, that in case of any violation or attempted violation of any of the covenants by the owners or their lessees and failure of the owners to remedy any such violation within thirty (30) days after written notice by the Town, the Town shall have the right, on its own motion and after notice, to rescind said change of zone and the subject premises shall revert from MR-Multiple Residence to B-Residence, and be it further

RESOLVED, that if the owners hereto, or any of them, their lessees, their heirs, successors, or assignees shall violate or attempt to violate any of the covenants or conditions required by the granting of this permit, it shall be lawful for the Town of Babylon to prosecute any proceedings at law or in equity, including but not limited to enforcement by way of injunctive relief; any remedies chosen by the Town Board to enforce any covenant, restriction or condition herein shall be cumulative and at the discretion of the Town Board as to how best to enforce such covenant, restriction or condition; the election of one method of enforcement shall not constitute a bar to electing any other method of enforcement permitted by law; and be it further,

RESOLVED, that the Town Clerk of the Town of Babylon be and hereby is authorized to publish a notice of said change of zone in one of the official newspapers of the Town of Babylon.

## SCHEDULE A

ALL THAT A CERTAIN PLOT, PIECE OF LAND, SITUATE, LYING AND BEING AT AMITYVILLE IN THE TOWN OF BABYLON, COUNTY OF SUFFOLK AND STATE OF NEW YORK, BEING MORE PARTICULARLY BOUNDED AND DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT BEING 155.05 FEET NORTHERLY FROM THE INTERSECTION OF THE NORTHERLY SIDE OF STEELE PLACE AND THE WESTERLY SIDE OF ALBANY AVENUE;

RUNNING THENCE NORTH 65 DEGREES 54 MINUTES 00 SECONDS WEST, 1068.72 FEET TO A POINT;

RUNNING THENCE NORTH 21 DEGREES 12 MINUTES 50 SECONDS EAST, 405.50 FEET TO A POINT;

RUNNING THENCE SOUTH 66 DEGREES 14 MINUTES 08 SECONDS EAST, 137.60 FEET TO A POINT;

RUNNING THENCE NORTH 23 DEGREES 45 MINUTES 52 SECONDS EAST, 99.90 FEET TO A POINT ON THE SOUTHERLY SIDE OF HARRISON AVE;

RUNNING THENCE SOUTH 66 DEGREES 14 MINUTES 08 SECONDS EAST, 75.0 FEET TO A POINT;

RUNNING THENCE SOUTH 23 DEGREES 45 MINUTES 52 SECONDS WEST, 323.26 FEET TO A POINT;

RUNNING THENCE SOUTH 68 DEGREES 02 MINUTES 27 SECONDS EAST, 75.79 FEET TO A POINT;

RUNNING THENCE SOUTH 65 DEGREES 29 MINUTES 32 SECONDS EAST, 329.42 FEET TO A POINT;

RUNNING THENCE SOUTH 65 DEGREES 17 MINUTES 19 SECONDS EAST, 224.67 FEET TO A POINT;

RUNNING THENCE SOUTH 65 DEGREES 17 MINUTES 18 SECONDS EAST, 240.0 FEET TO A POINT ON THE WESTERLY SIDE OF ALBANY AVENUE;

RUNNING THENCE SOUTH 19 DEGREES 49 MINUTES 52 SECONDS WEST, 12.20 FEET TO A POINT;

RUNNING THENCE SOUTH 22 DEGREES 31 MINUTES 02 SECONDS WEST, 166.31 FEET TO THE POINT OR PLACE OF BEGINNING

Dated: February 13, 2020, Town of Babylon

BY ORDER OF THE TOWN BOARD, TOWN OF BABYLON  
GERALDINE COMPITELLO, TOWN CLERK